

SAN MARCO
TILE | STUDIO

Cladding Collection



Sand Mix


AMK001 AMK100 SAND MIX
LIGHTWEIGHT MARBLE CLAD 1160X899 (1.043 SQM PER SHEET)




About of AMK

AMK is made of natural marbles crumbs, acrylics and fibreglass mesh. Each element is covered with a protective film, which ensures quick and easy installation.


Installation



Spread the glue




Apply AMK




Flatten & Embed


Press the sheet until the adhesive is squeezed through the mesh



Fill the seams with the same glue & wait 48 hours



Spray water



Remove the protective film



O

Useful Insights

Before Installation

- 1 - Keep AMK sheet in a **dry place**.
- 2 - Check the **weather forecast** - don't start outside work if it's rainy or foggy.
- 3 - Make sure the substrate is **completely dry** before you use primer or glue
- 4 - Use a **deep-penetrating primer** to reduce water absorption.

During Installation

- 1 - Spread glue on **small areas** at a time so it doesn't dry out too fast in the wind.
- 2 - Make sure the temperature stays above 5°C until the glue is dry.
- 3 - When working indoors, keep the room **well ventilated** so the glue dries faster.
- 4 - If it's damp or cold, expect the glue to take **longer than 4 days** to fully dry.

After Installation

- 1 - First, try removing the protective film from **just one piece**. If small marble chips come off, wait a bit longer before peeling off the rest.
- 2 - Apply an **acrylic stone varnish** - it gives AMK additional protection from harsh weather conditions.



Plain Grey Mix

AMK005 AMK002 PLAIN GREY

LIGHTWEIGHT MARBLE CLAD 1160X899 (1.043 SQM PER SHEET)



Brown Mix

AMK003 AMK300 BROWN MIX

LIGHTWEIGHT MARBLE CLAD 1160X899 (1.043 SQM PER SHEET)




Advantages of AMK



Non-toxic




DIY friendly,
anyone can
install it.



Harsh Weather
Resistant



Fire-resistant



Flexible



Vapor-permeable



Lightweight



Versatile application



Easy to repair



Terracotta Mix

AMK004 AMK500 TERRACOTTA MIX

LIGHTWEIGHT MARBLE CLAD 1160X899 (1.043 SQM PER SHEET)